





Super Science

Symbol supported
science activities





Part of the British Science Association's National Science & Engineering Week activity pack serie. www.nsew.org.uk

BIS | Department for
Business Innovation & Skills







Spinning screws





Put the magnet on top of the screw.







Put screw tip on the bottom of the battery.






Put the wire on top of the battery.




Find the other end of the wire.





Touch the wire on the edge of the magnet.





Watch the screw spin.








Think of new experiments






+






Turn over the magnet and try the experiment again




What is the difference?





Touch the wire on the bottom of the magnet.



Touch the wire in the middle of the magnet.




Does it work as easily?




Think of new experiments





Decorate the screw.




Get some small bits of paper.




Make some wings or a body.




Stick it to the screw with blu-tac.




Explanation



The battery makes a current.




+




=




Magnetism and a current creates movement.




magnet




screw




battery




wire




spin




touch




tip




current




top




bottom




side




middle




same




different



electricity



blu-tac



Skiffle bass data sheet



Listen to the note




high




medium




low




thin string



medium string



heavy string




skiffle bass



Equipment



a cardboard



or




wooden



box




without



a lid



a washer



or




bead




different



threads:



twine,



light string,



heavy string



60cm




strip of wood



with



a hole



at the end




Tie

the



washer



or




bead




to the

end of the string.





Put

the




other

end of the string



through



the hole




in

the box.



The washer



or



bead



must


be inside










the










box.



skiffle bass









 Thread the other end of the string through the hole in the stick.









 Pull the string through so it is the same as the picture below.





 Tightly tie the string to the stick.






skiffle bass



Ask




a friend to



hold



down the




end

of the




box.



Press


the bottom



of the stick




down



on the




box



Pull

the



top

of the stick




=

so the




string



tight.









skiffle bass








Pluck the string and listen to the note.





Tighten the string, What is the difference?



loosen the string, What is the difference?




Press the string lower against the stick.



The string is shorter.





Is the note different?



Try a range of notes.







Think of new experiments



Change the thickness of the string.



What is the difference?




Explanation



A tight string vibrates faster.




A faster vibration makes a higher note.




A short string makes a high note.




A thick string makes a low note.




string




box




bead




washer




tie



note




tight




loose




listen




vibrate




high




low




pull





thread




pluck




thin string





Aeroplane engineers






Equipment






sheets of paper






Fold the paper in half.





Fold the corner back.



Fold the edge back.




Fold the edge back again.





Turn over and fold the same.




Unfold the plane.










Aeroplane engineers




Fold up the end of the wings a little.





What difference does the fold make?




Try folding the wings up more.




What is the difference?





Fold the ends of the wings and the body clockwise.





What is the difference?






Think of new experiments



Find a book that shows you how to make paper planes.



How much better are these?




Explanation



Air resistance



slow



objects

when they



fall.




Paper is



light



and has a



large




area.



Air resistance



means



paper takes time



to fall.




A good



paper plane



can fly a



long way




while




it is falling.



Wing




shape



causes



the air




to move




the plane




in different directions.




fold




paper




turn over




plane




body



wings



air resistance




air



Fizzics experiment



Equipment



large




balloon



small



funnel



short



string



Bottle



of

very




fizzy drink



Put



the funnel




into




the balloon.



Pour



fizzy drink



into



the balloon.



Quickly



tie



the balloon.



Shake




the balloon





to make




the drink fizz.



What happens?



Think of new experiments



Try



fizzy water.



Does




fizzy water



work



as well.




Try




putting



the balloon



in



a sink of




warm water.







What














happens.



Explanation


   = 
the gas in fizzy drinks is carbon dioxide.

   
The gas dissolves in the liquid.


     +  
Shaking causes the gas to fizz out and expand the balloon.




fizzy



balloon




funnel




string




shake



warm water




carbon dioxide




dissolve




Invisible treacle data sheet


? 
Which is the slowest?



fastest


medium


slowest


1 
One magnet

2 
Two magnets


3 
Three magnets




Invisible treacle



Equipment






copper tube



4 magnets




small object




Touch the magnet onto the copper tube.



Is copper magnetic?



yes




no





Invisible treacle



=



Hold the tube at the top so it is vertical.



Drop the small object down the tube.



Does it fall quickly?




yes





no





2



Drop 2 magnets down the tube.




2




Ask a friend to drop 2 magnets next to the tube



at the same time.





Which magnets fall quickest?






Invisible treacle





Look down the tube while the magnets are falling.




Make sure the tube is vertical.





What do you see?




Think of new experiments




4




2




Try 4 magnets instead of 2 magnets.




What is the difference?




3




Try 3 magnets.




What is the difference?




1







Try 1 magnet.






What is the difference?




Explanation




Magnets create current when moving near to a metal.




The current slows down the falling magnet.




magnet




copper tube




magnetic




vertical



fast




slow



slow down




metal



Kelly wobbles



Equipment



half a table tennis ball



plasticine



cocktail sticks



3





3 balls of plasticine



Fill the half a table tennis ball with plasticine.




smooth over the top.



Poke a cocktail stick in the centre down to the bottom.








Kelly wobbles



1



Put one small piece of plasticine on the top of the cocktail stick.




Push the top, does it bounce back?





yes





no



2



Put 2 small pieces of plasticine to the top of the cocktail stick.



Push the top, does it bounce back?



yes



no



Kelly wobbles



Does it wobble differently?




yes



no



3




small



pieces of




plasticine




to the top of



the cocktail stick.



Push



the top,



does it





bounce back?




yes



no



Think of new experiments



Try



the experiment



again.




Use



a shorter



cocktail stick.



What is the difference?



Use



paper




to decorate



your



Kelly.



You



could



decorate

your



Kelly




like




a







clown.








Explanation



 =
 

 Most of the weight is at the bottom.




 =
 

 A small weight at the top means it bounces back.











 A big weight at the top stops it bouncing back.








 Double decker buses have a lot of weight low down.


 Buses don't fall over easily!




half a table tennis ball




cocktail stick




plasticine




smooth




wobble




fill




push




bounce back




small




medium




large




top




bottom





shorter












difference











centre







Drop it in











 All objects must fit in the beaker.









 Put the card on top of the beaker.








 Put an object on top of the card.












 Slowly Pull out the card and see what happens.





Try the experiment again.




Pull out the card quickly.





What happens?






Try all the objects.





Put the objects in order:





Easiest to fit in the beaker first.




Hardest to fit in the beaker last.





Think of new experiments




How slowly can you pull out the card?




to get an object in the beaker.




Is it the same for all objects.




Explanation




Smooth objects create less friction.




Heavy objects are harder to move.




Heavy and smooth objects fall into the beaker most easily.




beaker




card




friction




pull




snatch




fit




into




fall




rough




smooth



heavy




light




drop



object



easiest to fit



hardest to fit



Rainmaker



Equipment




soil



cling film




sticky tape



large



clear container




small




clear container






Put the soil in the large container.



Make a hole in the soil.



Put the small container in the hole.



Make some mountains in the soil.





Rainmaker




Fill the small container with water.




Dig up a weed and plant it like a tree.



Stretch the cling film over the large container.



Put tape round the cling film and container.




Make sure there are no holes.





Rainmaker




Put the container in a warm place.




On a sunny day put the container in the sunlight.




Wait for a few hours.



=




Wait a few days if it is not warm.




What do you see on the cling film?



Where has it come from?



Think of new experiments



Use



dry



soil




and




wait for





a very





long time.




The drops from the cling film moisten the soil.



This experiment shows the water cycle.



explains




where







rain





comes from.




Explanation






The warmth makes some of the water turn into a gas







The gas is water vapour.




Water vapour is invisible.




Water becoming gas is called evaporation.




The water vapour cannot escape and condenses on the cling film.



The water falls to the soil.




container




soil




cling film




sticky tape




small




large




cover




water cycle




water vapour




evaporation




condensation




invisible




warmth



moist




gas



escape



Wizzy Washing up liquid



Equipment




card




sink



scissors



pencil



washing up liquid

in a

small


pot



Fold



the front




corners

of the card.



Cut



a triangular



piece



at the other




end.



=




Make it like the picture.



You




have



a paper



boat.







Wizzy Washing up liquid






Place the boat in the sink.




Dip the point of a pencil in the washing up liquid.




Use a tiny drop.





Touch the pencil to the v at the back of the boat.







What happens?








Think of new experiments





In a large sink try again using more washing up liquid.






Use a new piece of card for each experiment.




Try making the front of the boat more pointed.



What can you do to make the boat go a long way?




How can you make the boat move further?





Explanation




The surface of water is like a skin.




The skin is stretched.



Washing up liquid tears the skin at the back of the boat.




The skin pulls the boat forward.



card




scissors




sink




washing up liquid




pencil




fold




boat




longer




front




back




skin




point




tiny




forward




water




surface




Light entertainment



Equipment



white paper



blu-tac



sticky tape



red filter




green filter

2 torches, equally bright.




Carefully



fasten



the



red filter

to one



torch



with



sticky tape.




Carefully



fasten




the



green filter

to the







other





torch.




Find a wall in a dark place.







Fasten the white paper to the wall.









Light entertainment







Shine the red torch on the paper.





Shine the green torch on paper.





Do not overlap the green and red beams.





Next, try overlapping the green and red beams,





What do you see?



Think of new experiments





Look through the red filter.





Look through the green filter.



1




Now put one filter in front of the other filter.




Look through both filters.

?








What do you see?






Explanation







torch




bright




filter




red




green




yellow




fasten




ray of light




shine




paper




sticky tape




overlap




colours




in front




through



both filters



Colour split



Equipment




felt pens



container



tissue



water



Draw



coloured



dots




along the edge

of the tissue.



Draw

6



six dots



of different colours.



Fill



container




with water.



Hold




the tissue



at the top.



Dip



the edge



of the tissue



in



the water.




Dip




the tissue






for several seconds.








Colour split




Watch what happens as the water rises up.




Is this quick or slow?





Put the tissue on the table.




What do you see?



Have the colours changed?



Think of new experiments



Watch



paint

being



mixed



in

a



DIY store




Are


the

colours

what




you



expect?




What



happens

when



you



mix




coloured paints



in





Art Class.




Explanation




Colours are mixed to make a felt-tip have a special colour.




Different colours mixed together look like a new colour.




felt pens




container




tissues




dots




edge




colours




touch




paints




Noisy cutlery





Equipment





metal fork





metal spoon



plastic fork




plastic spoon




piece of string as long as your arm




sticky tape




Tie the fork to the middle of the string.




Use sticky tape to hold it tight.





Wrap one end of the string around your first finger




Wrap the other end around the first finger of your other hand.





Noisy cutlery




Swing the prongs against the edge of a table.





Listen to the sound it makes.




Now put your fingers in both your ears.



Keep the string attached.





Knock the prongs against the edge of the table again.




What is the difference?







Think of new experiments




Try the experiment with the metal spoon




What is the difference?




try with the plastic fork and spoon




What is the difference?



Try the experiment with different string.




Try thin string and thick string.




Explanation



Sound travels



through



solids




best.



Sound travels



well



through




string




Sound travel




badly



through




air.



Some



objects




give out



more



sound.



Some



objects




vibrate



more



easily.




string




metal




plastic



fork




spoon



sticky tape




listen




prongs




first finger




vibrate




sound




solid




air




thick string




thin string



tight



Investigation 1: Teabag trouble



Equipment




loose tea

3



3 glasses

3



3 clippits


3



3 pegs



teaspoon



kitchen roll



j-cloth



newspaper



material



Imagine you have no tea bags.



Mum's friend is coming at tea time.



You have loose tea.




You do not have a tea strainer.




Can you make tea bags?




Which material is best to make tea bags?





Making teabags




Put a teaspoon of loose tea in the middle of a piece of kitchen roll.




Fold up the edges around the loose tea.




Use a clippit and fasten the loose tea inside the kitchen roll.



It is important the loose tea cannot escape.



Repeat using the j-cloth and the newspaper.



3



Now You have 3 teabags.






3



Carefully fill 3 glasses with hot water.




The experiment





Clip a peg to the top of each teabag.




2



Ask two friends to help.



+



Give each friend a teabag and glass.



Dip the teabags in the hot water.




1



Dip the teabags for about a 1 minute.




The experiment



Remove the tea bags.





Do not drink the tea!



Which teabag is the darkest colour?




Did any tea bags leak?





Try other materials.



What material makes the best teabag?



The shop opens and mum dashes to buy proper tea bags.



Think of new experiments




Why are some materials are better for making tea bags?




Can you explain?



Can you think of better materials to use?




Design a poster showing your experiment.




loose tea



teabag




clippit




peg




tea strainer




glass




j-cloth



newspaper




kitchen roll




material



teaspoon




hot water




dunk



leak



strongest colour



don't drink



Teabag trouble data sheet

Which material is best?

light colour

medium colour


dark colour


kitchen roll


j-cloth


newspaper



material



Investigation 2: Super spinners




Equipment



template



to make




tray



template



to make



spinner



paperclips



scissors




sticky tape




Many things fly through the air.



Aeroplanes, helicopters and gliders can fly.



Animals like birds and insects can fly.



Air is important for flight.



No air means no flight.



You will learn about things moving in the air.



1


Experiment 1




1






Hold 1 piece of paper flat.




Drop the paper.



What happens?





+





Scrunch up the paper a bit and drop it again.



What happens?



Scrunch the paper tightly.




Does the paper fall differently?



1

Experiment 1




Look at the tray template.





Carefully cut along the dotted lines.



Fold along the straight lines.




Fold the corners.



Put sticky tape to fasten the corners.



Make your tray like the picture.







1


Experiment 1







Hold the tray the right way up like the picture.




Drop the tray.




Does the tray fall differently to the piece of paper?




Try dropping the tray upside down.



What is the difference?









Explanation




Air resistance affects falling objects.







Paper has a large area.




The air resistance is large and the paper is light.





The piece of paper falls slowly.




Scrunched up paper has a smaller area touching the air.



The air resistance is smaller.




The scrunched up paper falls faster.



Explanation




Dropping the tray the right way up.



The air can flow smoothly past the edges.



The tray is streamlined.



The tray falls smoothly.





The tray does not wobble.




Dropping the tray upside down.




Air is trapped underneath.



The air tries to escape causing the tray to wobble.




The tray might turn over during the fall.




Ideas to talk about



air resistance




area



streamlined



Cars, planes and bikes are streamlined.



Cars, planes and bikes can move fast through air easily.




Think about cyclist's clothing.



2

Experiment 2



Cut out the medium spinner.



=





Fold it like the picture.




Put a paper clip at the bottom.




Drop it from a height.



you must ask before climbing on furniture.




Watch the spinner during the fall.



Try it several times.



Does it spin?



Does it start spinning straight away?



2

Experiment 2



Repeat the using the large spinner.



Make sure you look for all the differences.



Write down all the differences you can.





Try again using the small spinner.



Which spinner is best?



Can you improve the spinners?



Think of new experiments



Add more paper clips to the bottom.



Try cutting the wings smaller.



Try more experiments.



Which spinner falls the slowest and spins well?




Write down the results.




OR




Tell other people the results and demonstrate your spinners.



Explanation






Why does the spinner spin?



The wings are on diagonally opposite sides of the middle.




The air resistance pushes the wings in opposite directions,




causing the spinner to spin around the centre.




2




Imagine 2 people pushing either side of a roundabout.



spinner



air




template




scissors




paperclip




sticky tape




tray




scrunch




air resistance




flow




streamlined




wobble




escape





turn over




wing



opposite directions




Group work 1: Slippery slopes




Equipment



card



ruler




compass



parcel tape






scouring sponge








paperback book




plastic cup

2   **30 x 12 x 1**  cm
two pieces of wood measuring: 30 x 12 x 1 cm



1   **3 x 4.5 x 8**  cm
1 pieces of wood measuring: 3 x 4.5 x 8 cm




At what angle do objects slide down a slope?





During this experiment you will find out.




Make the slope



2




Put the ends of the two pieces of wood together.



Use strips of parcel tape to join the wood together.





=



+





Make sure the tape is pressed down and sticks well.




The parcel tape makes a hinge.




1






Fold one piece of wood back.











Steepness scale




This experiment measures steepness of a slope when an object slides.





Use a compass to draw a big circle on the card.




Draw a line across the centre of the circle.




Steepness scale




2




Make marks along the edge of the circle every 2 cm.




Mark a quarter of the circle.



=




This is a steepness scale.





=



Use the ruler to mark accurately like the picture.







Putting together the apparatus




=







Putting together the apparatus is tricky.




+




Fold the card under the wood and prop it up.



The line through the circle must line up with the top of the wood.




Make sure your apparatus looks like the picture.














The experiment





Put an object on top of the wood.







Slowly Lift the top piece of wood to make a slope.




You must lift the wood very slowly.



When the object starts to slide,




look at the steepness scale and remember the number.



3x


Try each experiment three times.



Decide the best number and fill in the data sheet.



The experiment



Try



different



objects




and



fill in




the data sheet:



Try




the paperback book.



Try




the plastic cup.



Try




the scouring sponge on the rough side



Try




the scouring sponge on the smooth side.



Try




the block of wood on the thick edge.



Try



the block of wood on the thin edge.



???

Questions

?




2




What is interesting about the two block of wood experiments?

?





Which objects slide easily.

?





Which objects do not slide easily



=



when would slipping on a slope be useful





=



When would slipping on a slope be dangerous?



Think about activities in mountains.





=





Where else would slipping on a slope be a problem?





Results poster




Make a poster showing your results.



Write about places where slipping on a slope is useful.




Write about places where slipping on a slope is dangerous.




Make you poster colourful.




objects




slide




card




paper




ruler




compass




piece of wood




block of wood




pencil




mark




measure




steep



hinge




parcel tape




scouring sponge




plastic cup




join




fold




circle




angle




quarter




centre




paperback book




steepness scale



data sheet



slope




prop




slow




thick




thin



edge




strips of tape



Slippery slopes data sheet




Material




Steepness scale



scouring sponge



smooth



side


1 2 3 4 5 6 7 8 9



scouring sponge



rough



side

1 2 3 4 5 6 7 8 9



paperback book

1 2 3 4 5 6 7 8 9



plastic cup


1 2 3 4 5 6 7 8 9



block of wood



thick



edge

1 2 3 4 5 6 7 8 9



block of wood




thin



edge


1 2 3 4 5 6 7 8 9



Slippery slopes data sheet



Material



Steepness scale

1 2 3 4 5 6 7 8 9


1 2 3 4 5 6 7 8 9

1 2 3 4 5 6 7 8 9


1 2 3 4 5 6 7 8 9

1 2 3 4 5 6 7 8 9

1 2 3 4 5 6 7 8 9




Group work 2: Slipping slopes




apparatus



card



torch



paper



jug



sugar



COUSCOUS



lentils





flour



rice



How high can you make a heap?



You will make a heap using different materials.



The experiment




Put the couscous into the jug.



Very gently pour onto a sheet of paper.




Try to make the highest heap.



Fold a piece of card and prop it up behind the heap.



Put a torch level with the heap and the paper.



You should see the heap shadow on the paper.



Carefully draw around the shadow.






The experiment



Repeat the experiment using sugar, Flour, Rice, lentils.



Which makes the steepest heap?




Which makes the most pointed heap?



Experiment using other materials.



Results poster



Make a poster showing your results.



Put the shadow drawings on the poster.



Write about the experiment.




Think about places where slopes slip down.




Think about when slopes slip down.




Find information about the Aberfan landslide.




card




paper



ruler




torch




pencil




jug




draw




heap




shadow




sugar




COUSCOUS




rice




lentils




flour




shine




level



pour




steep




materials




avalanche




landslide



highest



prop



pointed



Slipping slopes data sheet



Heap



steepness



material




high



medium



low



order



sugar



lentils



flour



rice



COUSCOUS